

Message

From: Gold, Peter [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D02E1E46751B415E888062D3AC6E6D26-PGOLD]
Sent: 12/16/2021 1:51:28 PM
To: Schadel, Chuck [Schadel.Chuck@epa.gov]
Subject: RE: Pending DE Complaint Inspections

Chuck,

I am comfortable with however you would like to proceed. I was thinking Lawson first since that will be EPA lead. Let me know if there is a good time to give you a call today. Thanks

From: Schadel, Chuck <Schadel.Chuck@epa.gov>
Sent: Thursday, December 16, 2021 8:20 AM
To: Gold, Peter <Gold.Peter@epa.gov>
Subject: FW: Pending DE Complaint Inspections

Please advise

From: Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Sent: Wednesday, December 15, 2021 2:33 PM
To: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Schadel, Chuck <Schadel.Chuck@epa.gov>;
Cody.Letsinger@Delaware.gov
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

We are fairly flexible. Would you be going to the wastewater facility first then the Lawson Rd property? I believe the potential for solid waste issues was at the Lawson Rd property only. We can certainly accompany you to both sites if that works better for timing.



Jason W. Sunde
Environmental Program Administrator

☎ 302-739-9403 ☎ 302-387-9407
✉ jason.sunde@delaware.gov
📍 89 Kings Highway, Dover, DE 19901
🌐 dnrec.delaware.gov



From: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>
Sent: Wednesday, December 15, 2021 2:02 PM
To: Schadel, Chuck <Schadel.Chuck@epa.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

Good Afternoon Chuck!

Attached you will find the facility's draft storm water plan. We currently have a few comments out to the facility about it.

Cody and I discussed a time and we are fairly flexible. Would you guys want to meet between 10 and 11?

Jason, what does your schedule look like?

Thank you,

Jena L. Saxton

From: Schadel, Chuck <Schadel.Chuck@epa.gov>

Sent: Tuesday, December 14, 2021 7:49 PM

To: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>;

Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>

Cc: Gold, Peter <Gold.Peter@epa.gov>

Subject: FW: Pending DE Complaint Inspections

Hi folks,

Id like to coord w you regarding inspections of these 2 acitvities. What time frames are you thinking ? We have a little bit of hike, but we will try to get there early . Do you have any background info we can read before the inspection ?

Thanks for your time, it is appreciated.

Chuck Schadel, Eng
Enforcement Officer
NPDES Enforcement Section
USEPA Region 3

Ex. 6 Personal Privacy (PP)